

BUSH RANGER®

POWER EQUIPMENT



SPARTAN MOWERS



RZ-C	6 - 7	RTHD	16 - 17
RZ	8 - 9	SRTXD	18 - 19
RZPRO	10 - 11	KG	20 - 21
RZHD	12 - 13	SPECIFICATIONS	26 - 29
RTPRO	14 - 15	ACCESSORIES	30

ICON KEY



HOME USER



LAND OWNER



PROFESSIONAL



**TOO GOOD TO LEND
TO YOUR MATES!**



Level up your lawncare game with the Bushranger Spartan range.

Our extensive range of zero-turn mowers include units to suit the small acreage owner through to the professional commercial operator. The Bushranger Spartan range boasts the sleekest design, with unmatched performance and a tough and reliable build with all the bells and whistles included to top it off. Enabling each user to get the job done quickly and efficiently allowing more time to enjoy life's simple pleasures.

Being a proudly Australian Owned and Operated business the Bushranger team are well-equipped with the knowledge of what is needed in a zero-turn mower to tackle the harsh Australian terrain and conditions. All products within our line up have been tested extensively alongside Australian commercial operators and avid home owners enabling us to gain invaluable feedback on consumer needs. This ensures we are bringing the perfect unit to suit every Bushranger Spartan owner, day in and day out.

We also recognize the importance of supporting small businesses within Australia, which is why we only distribute our units to the Australian dealer network and are proud in doing so. With over 110 Bushranger Spartan dealers Australia-wide you're not far from a friendly face and superior range of zero-turn mowers.







RZ-C RANGE

A COMPACT SOLUTION WITH **BIG** RESULTS.

The Bushranger Spartan RZ-C range features our smallest deck yet at 42", perfect for tight gates, small storage spaced and leaving plenty of room left in the trailer. These units are manufactured with the same DNA as our bigger zero turns at a price that won't break the bank. Don't be deceived, these little units aren't shy of hard work!

RZ-C42 - 42" ZERO-TURN MOWER

  BRURZ-C42

Kawasaki FR651V | 21.5 hp (16 kW) | 317.1 kg | 42" (1067 mm) Cut Side Discharge | 18.9 L Fuel Tank | Width: 43.5"
Length: 82" | Height: 46" | Up To 12.9 kph Ground Speed

Entire Product Warranty: Domestic & Commercial - 3 Years / 300 Hours

- TUFF TORQ 300 series serviceable transaxles.
- Fabricated heavy-duty 1.5" x 3" fusion welded tube frame.
- Control panel with LCD display, which contains at the push of a button a tachometer, engine hour meter, mowing hours meter, battery voltage, a countdown timer for engine oil replacement and a clock.

RZ-C54 - 54" ZERO-TURN MOWER

  BRURZ-C54

Kawasaki FR691V | 23.0 hp (17.2 kW) | 343.7 kg | 54" (1372 mm) Cut Side Discharge | 18.9 L Fuel Tank | Width: 55.5"
Length: 82" | Height: 46" | Up To 12.9 kph Ground Speed

Entire Product Warranty: Domestic & Commercial - 3 Years / 300 Hours

- TUFF TORQ 300 series serviceable transaxles.
- Fabricated heavy-duty 1.5" x 3" fusion welded tube frame.
- Control panel with LCD display, which contains at the push of a button a tachometer, engine hour meter, mowing hours meter, battery voltage, a countdown timer for engine oil replacement and a clock.



54" Deck shown



RZ RANGE

MAXIMUM PRODUCTIVITY AT MINIMUM PRICE.

The Bushranger Spartan is ideal for the small to mid acreage homeowners, or smaller scale commercial operators. Equipped with a Kawasaki V-Twin Engine and packed with features, we can assure you it will feel and perform like a professional grade mower at a fraction of the price.

RZ48 - 48" ZERO-TURN MOWER

  BRURZ48

Kawasaki FR691V | 23 hp (17.9 kW) | 354.5 kg | 48" (1219.2 mm) Cut Side Discharge | 18.9 L Fuel Tank | Width: 49.5"
Length: 82" | Height: 46" | Up To 13.6 kph Ground Speed

Entire Product Warranty: Domestic & Commercial - 3 Years / 300 Hours

- TUFF TORQ 400 series transaxles.
- Heavy-duty fabricated steel, 5" deep, full floating deck.
- Control panel with LCD display, which contains at the push of a button a tachometer, engine hour meter, mowing hours meter, battery voltage, a countdown timer for engine oil replacement and a clock.

RZ54 - 54" ZERO-TURN MOWER

  BRURZ54

Kawasaki FR691V | 23.0 hp (17.2 kW) | 372.7 kg | 54" (1372 mm) Cut Side Discharge | 18.9 L Fuel Tank | Width: 55.5"
Length: 82" | Height: 46" | Up To 13.6 kph Ground Speed

Entire Product Warranty: Domestic & Commercial - 3 Years / 300 Hours

- TUFF TORQ 400 series transaxles.
- Heavy-duty fabricated steel, 5" deep, full floating deck.
- Control panel with LCD display, which contains at the push of a button a tachometer, engine hour meter, mowing hours meter, battery voltage, a countdown timer for engine oil replacement and a clock.



48" Deck shown



RZPRO RANGE

THE HARD WORK IS TAKEN CARE OF.

The Bushranger Spartan RZPRO range of ZTR'S are built and perform like a commercial grade mower but at an affordable price. The Bushranger Spartan RZPRO eats up lawns of all sizes and comes equipped with premium features that are all included as standard, and truly makes the RZPRO series stand out from the rest.

RZPR054 - 54" ZERO-TURN MOWER



Kawasaki FR691V | 23 hp (17.2 kW) | 384.5 kg | 54" (1372 mm) Cut Side Discharge | 18.9 L Fuel Tank | Width: 55.5"
Length: 82" | Height: 46" | Up To 13.7 kph Ground Speed

Entire Product Warranty: Domestic & Commercial - 3 Years / 300 Hours

- Dual hydrostatic TUFF TORQ 450 series transaxles.
- Heavy-duty fabricated steel, 5" deep, full floating deck.
- Control panel with LCD display, which contains at the push of a button a tachometer, engine hour meter, mowing hours meter, battery voltage, a countdown timer for engine oil replacement and a clock.

RZPR061 - 61" ZERO-TURN MOWER



Kawasaki FR730V | 24.0 hp (17.9 kW) | 394.1 kg | 61" (1550 mm) Cut Side Discharge | 18.9 L Fuel Tank | Width: 62.5"
Length: 82" | Height: 46" | Up To 13.7 kph Ground Speed

Entire Product Warranty: Domestic & Commercial - 3 Years / 300 Hours

- Dual hydrostatic TUFF TORQ 450 series transaxles.
- Heavy-duty fabricated steel, 5" deep, full floating deck.
- Control panel with LCD display, which contains at the push of a button a tachometer, engine hour meter, mowing hours meter, battery voltage, a countdown timer for engine oil replacement and a clock.



54" Deck shown



RZHD RANGE

SIT BACK, RELAX AND ENJOY THE RIDE.

The Bushranger Spartan RZHD range offers 3 cutting deck sizes giving you the flexibility to choose exactly which mower suits your needs. The RZHD range is backed by a powerful Kawasaki V-Twin engine, giving you the power where and when you need it. These units won't disappoint.

RZHD48 - 48" ZERO-TURN MOWER



Kawasaki FR691V | 23 hp (17.2 kW) | 418.2 kg | 48" (1220 mm) Cut Side Discharge | 35.9 L Fuel Tank | Width: 49.5" Length: 82" | Height: 75" (ROPS up), 54" (ROPS down) | Up To 14.4 kph Ground Speed

Entire Product Warranty: Domestic & Commercial - 3 Years / 400 Hours

- Parker HTE 10cc wheel motors.
- Heavy-duty fabricated steel, 5" deep, full floating deck.
- Control panel with LCD display, which contains at the push of a button a tachometer, engine hour meter, mowing hours meter, battery voltage, a countdown timer for engine oil replacement and a clock.

RZHD54 - 54" ZERO-TURN MOWER



Kawasaki FR691V | 23 hp (17.2 kW) | 427.2 kg | 54" (1372 mm) Cut Side Discharge | 35.9 L Fuel Tank | Width: 55.5" Length: 82" | Height: 75" (ROPS up), 54" (ROPS down) | Up To 14.4 kph (Forward) 8 kph (Reverse) Ground Speed

Entire Product Warranty: Domestic & Commercial - 3 Years / 400 Hours

- Parker HTE 10cc wheel motors.
- Heavy-duty fabricated steel, 5" deep, full floating deck.
- Control panel with LCD display, which contains at the push of a button a tachometer, engine hour meter, mowing hours meter, battery voltage, a countdown timer for engine oil replacement and a clock.

RZHD61 - 61" ZERO-TURN MOWER



Kawasaki FR730V | 24.0 hp (17.9 kW) | 385.1 kg
61" (1550 mm) Cut Side Discharge | 35.9 L Fuel Tank | Width: 62.5"
Length: 84" | Height: 75" (ROPS up), 54" (ROPS down)
Up To 14.4 kph Ground Speed

Entire Product Warranty: Domestic & Commercial - 3 Years / 400 Hours

- Parker HTE 10cc wheel motors
- Heavy-duty fabricated steel, 5" deep, full floating deck.
- Control panel with LCD display, which contains at the push of a button a tachometer, engine hour meter, mowing hours meter, battery voltage, a countdown timer for engine oil replacement and a clock.



61" Deck shown



RTPRO RANGE

PUSH THE LIMITS, ALL DAY EVERYDAY.

The Bushranger Spartan RTPRO range handles lawns of all sizes withease and comes packed with premium features that are all included as standard. Features which include a commercial grade Kawasaki FT730V V-Twin engine. Safety is forefront in our mind, these units are perfectly balanced with a low centre of gravity combined with GT Trac for best traction on inclines, and that's only the start! Get the job done quickly, comfortably and efficiently so you can have more time to yourself.

RTPR054 - 54" ZERO-TURN MOWER



Kawasaki FT730V | 23.5 hp (17.9 kW) | 481.4 kg | 54" (1372 mm) Cut Side Discharge | 35.9 L Fuel Tank | Width: 55.5"
Length: 86" | Height: 75" (ROPS up), 54" (ROPS down) | Up To 14.4 kph Ground Speed

Entire Product Warranty: Domestic & Commercial - 3 Years / 500 Hours

- Parker HTE 10cc wheel motors.
- Heavy-duty fabricated steel, 6" deep, reinforced 7ga XTF (Xtreme Turf Flow) deck.
- Control panel with LCD display, which contains at the push of a button a tachometer, engine hour meter, mowing hours meter, battery voltage, a countdown timer for engine oil replacement and a clock.

RTPR061 - 61" ZERO-TURN MOWER



Kawasaki FT730V | 23.5 hp (17.9 kW) | 495.5 kg | 61" (1550 mm) Cut Side Discharge | 35.9 L Fuel Tank | Width: 62.5"
Length: 86" | Height: 75" (ROPS up), 54" (ROPS down) | Up To 14.4 kph Ground Speed

Entire Product Warranty: Domestic & Commercial - 3 Years / 500 Hours

- Parker HTE 10cc wheel motors.
- Heavy-duty fabricated steel, 6" deep, reinforced 7ga XTF (Xtreme Turf Flow) deck.
- Control panel with LCD display, which contains at the push of a button a tachometer, engine hour meter, mowing hours meter, battery voltage, a countdown timer for engine oil replacement and a clock.



61" Deck shown



RTHD RANGE

TOUGH JOB AHEAD? WE'VE GOT YOU COVERED.

The Bushranger Spartan RTHD range is the perfect representation of supreme innovation and design. The RTHD series includes the easy touch brake system, foot assist easy-lift deck and an ergonomic cockpit with an extremely comfortable seat. Did we also mention the huge fuel tank?

This range keeps on giving by introducing an option of an EFI engine. Giving you more power to play with, sounds like a great partner to have!

RTHD54 - 54" ZERO-TURN MOWER



Kawasaki FX1000V | 35 hp (26.1 kW) | 509 kg | 54" (1372 mm) Cut Side Discharge | 35.9 L Fuel Tank | Width: 55.5"
Length: 86" | Height: 75" (ROPS up), 54" (ROPS down) | Up To 17.7 kph Ground Speed

Entire Product Warranty: Commercial - 2 Years / Unlimited Hours | Domestic - 3 Years / 500 Hours

- Parker HTJ 12cc wheel motors.
- Heavy-duty fabricated steel, 6" deep, reinforced 7ga XTF (Xtreme Turf Flow) deck.
- Control panel with LCD display, which contains at the push of a button a tachometer, engine hour meter, mowing hours meter, battery voltage, a countdown timer for engine oil replacement and a clock.

RTHD61 - 61" ZERO-TURN MOWER



Kawasaki FX1000V | 35 hp (26.1 kW) | 520.5 kg | 61" (1550 mm) Cut Side Discharge | 35.9 L Fuel Tank | Width: 62.5"
Length: 86" | Height: 75" (ROPS up), 54" (ROPS down) | Up To 17.7 kph Ground Speed

Entire Product Warranty: Commercial - 2 Years / Unlimited Hours | Domestic - 3 Years / 500 Hours

- Parker HTJ 12cc wheel motors.
- Heavy-duty fabricated steel, 6" deep, reinforced 7ga XTF (Xtreme Turf Flow) deck.
- Control panel with LCD display, which contains at the push of a button a tachometer, engine hour meter, mowing hours meter, battery voltage, a countdown timer for engine oil replacement and a clock.

RTHD61-E - 61" EFI ZERO-TURN MOWER



Kawasaki FX850V-EFI | 29.5 hp (22.0 kW) | 523.8 kg
61" (1550 mm) Cut Side Discharge | 35.9 L Fuel Tank | Width: 62.5"
Length: 86" | Height: 75" (ROPS up), 54" (ROPS down)
Up To 17.7 kph Ground Speed

Entire Product Warranty: Commercial - 2 Years / Unlimited Hours
Domestic - 3 Years / 500 Hours

- Parker HTJ 12cc wheel motors.
- Heavy-duty fabricated steel, 6" deep, reinforced 7ga XTF (Xtreme Turf Flow) deck.
- Control panel with LCD display, which contains at the push of a button a tachometer, engine hour meter, mowing hours meter, battery voltage, a countdown timer for engine oil replacement and a clock.



54" Deck shown



SRTXD RANGE

SETTING THE NEW STANDARD.

Take command with the Bushranger Spartan SRTXD range. These powerhouse units are the definition of new aged sleek design and innovative power. These mowers are ready to work at your command jam-packed with first-class, premium features. This range is backed by an epic Kawasaki FX1000V or FX1000 EFI engine (and we are only just getting started), a Smart Ride Technology package, an Elastomer TecPak®, huge tyres and advanced frame design - you'll have heads turning with this one of a kind range.

SRTXD61 - 61" ZERO-TURN MOWER



Kawasaki FX1000V | 35 hp (26.1 kW) | 570.5 kg | 61" (1550 mm) Cut Side Discharge | 35.9 L Fuel Tank | Width: 62.5"
Length: 86" | Height: 75" (ROPS up), 54" (ROPS down) | Up To 20.9 kph Ground Speed

Entire Product Warranty: [Commercial - 2 Years / Unlimited Hours](#) | [Domestic - 3 Years / 500 Hours](#)

- Parker HTG 16 cc wheel motors.
- Heavy-duty fabricated steel, 6" deep, reinforced 7ga XTF (Xtreme Turf Flow) deck.
- Control panel with LCD display, which contains at the push of a button a tachometer, engine hour meter, mowing hours meter, battery voltage, a countdown timer for engine oil replacement and a clock.

SRTXD72 - 72" ZERO-TURN MOWER



Kawasaki FX1000V | 35 hp (26.1 kW) | 585.5 kg | 72" (1829 mm) Cut Side Discharge | 35.9 L Fuel Tank | Width: 73.5"
Length: 86" | Height: 75" (ROPS up), 54" (ROPS down) | Up To 20.9 kph Ground Speed

Entire Product Warranty: [Commercial - 2 Years / Unlimited Hours](#) | [Domestic - 3 Years / 500 Hours](#)

- Parker HTG 16 cc wheel motors.
- Heavy-duty fabricated steel, 6" deep, reinforced 7ga XTF (Xtreme Turf Flow) deck.
- Control panel with LCD display, which contains at the push of a button a tachometer, engine hour meter, mowing hours meter, battery voltage, a countdown timer for engine oil replacement and a clock.

SRTXD61-EF & SRTXD72-EF - 61" & 72" EFI ZERO-TURN MOWER



BRUSRTXD61EF / BRUSRTXD72EF

Kawasaki FX1000-EFI | 38.5 hp (28.7 kW) | 523.8 kg (62") | 592.6 kg (72")
61" (1550 mm) Cut Side Discharge | 72" (1829 mm) Cut Side Discharge
35.9 L Fuel Tank | Width: SRTXD61-E: 62.5", SRTXD72-E: 73.5" | Length: 86"
Height: 75" (ROPS up), 54" (ROPS down) | Up To 20.9 kph Ground Speed

Entire Product Warranty: [Commercial - 2 Years / Unlimited Hours](#)
[Domestic - 3 Years / 500 Hours](#)

- Parker HTG 16cc wheel motors.
- Heavy-duty fabricated steel, 6" deep, reinforced 7ga XTF (Xtreme Turf Flow) deck.
- Control panel with LCD display, which contains at the push of a button a tachometer, engine hour meter, mowing hours meter, battery voltage, a countdown timer for engine oil replacement and a clock.



61" Deck shown



KG RANGE

LEVEL UP YOUR LAWNCARE.

Stand out from the rest with this heavy-duty commercial mower that eats up lawns of all sizes, handles rough terrain with ease and comes packed with premium features that are all included as standard. Backed by a premium commercial grade Kawasaki engine and loaded with safety features like being perfectly balanced with a low centre of gravity for the best traction on inclines, this unit is designed with the commercial user in mind.

KGPRO54 - 54" STAND ON ZERO-TURN MOWER

  BRUKGPRO54

Kawasaki FT730V | 24 hp (18 kW) | 459 kg | 54" (1372 mm) Cut Side Discharge | 45.4 L Fuel Tank | Width: 55.5"
Length: 72.5" | Height: 49" | Up To 14.4 kph Ground Speed

Entire Product Warranty: Commercial - 2 Years / Unlimited Hours | Domestic - 3 Years / 500 Hours

- Parker HTE 10cc wheel motors.
- Heavy-duty fabricated steel, 6" deep, reinforced 7ga XTF (Xtreme Turf Flow) deck.
- Control panel with LCD display, which contains at the push of a button a tachometer, engine hour meter, mowing hours meter, battery voltage, a countdown timer for engine oil replacement and a clock.

KGXD54 - 54" STAND ON ZERO-TURN MOWER

  BRUKGXD54

Kawasaki FX801V | 25.5 hp (19 kW) | 488 kg | 54" (1372 mm) Cut Side Discharge | 45.4 L Fuel Tank | Width: 55.5"
Length: 72.5" | Height: 49" | Up To 14.4 kph Ground Speed

Entire Product Warranty: Commercial - 2 Years / Unlimited Hours | Domestic - 3 Years / 500 Hours

- Parker HTJ 12cc wheel motors.
- Heavy-duty fabricated steel, 6" deep, reinforced 7ga XTF (Xtreme Turf Flow) deck.
- Control panel with LCD display, which contains at the push of a button a tachometer, engine hour meter, mowing hours meter, battery voltage, a countdown timer for engine oil replacement and a clock.



KGXD54 shown





**INTEREST FREE
FINANCE***

POWERED BY
hummm90

WHY WAIT?

**ADD A NEW SPARTAN
TO YOUR FLEET TODAY!**

Visit Your Local Dealer For More Information.



*Approved applicants for a humm90 Mastercard credit card only. Fees and charges apply, including a \$99 annual fee that applies on account opening. Applicants who enter into their Credit Contract on or after 1 October 2024 will be charged a monthly fee of \$9.95 instead of an annual fee, and existing customers will be transitioned on a rolling basis. T&Cs and minimum finance amount applies. For Long Term Interest Free purchases: Minimum monthly payments must be made by the due date each month, otherwise interest at the humm90 Expired Promotional Rate (currently 26.49%) applies. For other purchases: Up to 110 days interest free and payment holiday can apply (excluding purchases we treat as cash advances), after which minimum monthly payments are required. Interest at the humm90 Purchase Rate (currently 26.30%) applies if purchase amount is not repaid within Interest Free Period or if other Interest Free Criteria are not met. All fees, charges and interest rates are current as at June 2024 and subject to change - see hummm90.com/au. Credit provided by humm Cards Pty Ltd ABN 31 099 651 877 Australian Credit Licence number 247415. Mastercard® and the circles design are a trademark of Mastercard International Incorporated.

SAFETY FEATURES

ROPS

Rollover protective structure (ROPS) are an important safety feature to have on your mower. This feature provides peace of mind for extra safety in the unlikely event of a rollover whilst working.

SAFETY FEATURES

CONTROLS

The ergonomic controls ensure steering of the unit is precise and instant at all times.

ACCESSORIES

STRESS RELIEF PADS

Upgrade available on all models. (Standard on SRTXD).

FEATURES

ELECTRONIC KEYPAD

The days of the key start are gone! All units in the Bushranger Spartan range are equipped with an electronic keypad. This touch start keypad is an excellent anti-theft feature. It also boasts a soft start blade engagement, tachometer and programmable service intervals.

SAFETY FEATURES

ANTI-SLIP MATS

The anti-slip mats on each unit enables you to work on damp or dewy grass ensuring safe access on and off the mower. These mats are also extremely easy to clean.

ACCESSORIES

10" LED LIGHT KIT

Upgrade available on all models. (Standard on SRTXD).



FEATURES

SUSPENSION SEATING

Comfort of ride is extremely important to us. All Bushranger Spartans offer top of the line seats, allowing you to work for as long as your heart's content.

ACCESSORIES

SOFT KNOB ADJUSTABLE ARMS

Upgrade available on RZ & RTPRO models. (Standard on all other models).

FEATURES

TOW HITCH & ENGINE GUARD (REAR OF UNIT)

Adding a tow hitch to your unit enables you to tow small loads, taking the backache out of any unnecessary heavy lifting.

The added engine guard ensures your engine is safe from any possible flying debris whilst mowing. The 'hot' labeled guard also serves as an important reminder, minimising risk of burns.








SAFETY FEATURES







SIDE STEP






The Bushranger Spartan range offers innovative features to ensure you get the job done safely and efficiently. Being able to step on the deck (all models) allows for easy access on and off the mower. An operator assist handle is available as an accessory.



SRTXD 72" 2022 Model Shown | Specifications subject to change without notice | View all available accessories on page 30.

SERIES	RZ-C	RZ-C	RZ	RZ	RZPRO
<i>IMAGES FOR ILLUSTRATIVE PURPOSES ONLY.</i>					
MODEL	RZ-C42	RZ-C54	RZ48	RZ54	RZPRO54
ENGINE	Kawasaki FR651V	Kawasaki FR691V	Kawasaki FR691V	Kawasaki FR691V	Kawasaki FR691V
HORSEPOWER	21.5 hp (16.0 kW)	23.0 hp (17.2 kW)	23.0 hp (17.9 kW)	23.0 hp (17.2 kW)	23.0 hp (17.2 kW)
TYPE	Air cooled 90-degree V-Twin				
STARTER / CHARGING SYSTEM	12-volt Electric				
IGNITION / STARTING	Electronic Keyless enter personal code to start				
FUEL	Unleaded fuel				
FUEL CAPACITY	18.9 Litres				
DRIVE SYSTEM	Dual hydrostatic TUFF TORQ 300 series transaxles		Dual hydrostatic TUFF TORQ 400 series transaxles		Dual hydrostatic TUFF TORQ 450 series transaxles
GROUND SPEED - FORWARD	Up To 12.9 kph		Up To 13.6 kph		Up To 13.6 kph
BRAKES	Foot-operated parking brake				
CASTER TYRES	13 x 6.5 - 6, smooth tread				
TYRES - DRIVE	20" carlisle turf armour tyres		22" turf tread		
SEAT	Mid-back bolstered seat		GBR-7 Elastomer		
CUP HOLDER	Yes				
HEIGHT LENGTH WIDTH	46" 82" 43.5"	46" 82" 55.5"	46" 82" 49.5"	46" 82" 55.5"	
WEIGHT	317.1 kg	473.6 kg	354.5 kg	372.7 kg	384.5 kg
DECK LIFT	Foot-operated		Foot-operated		Foot-operated with shock assist
CUTTING WIDTHS	42" (1067 mm) cut side discharge	54" (1372 mm) cut side discharge	48" (1219.2mm) cut side discharge	54" (1372 mm) cut side discharge	
CUTTING HEIGHTS	1" to 4.5" (25.4 mm to 114.3 mm)		1" to 4.25" (25.4 mm to 107.95 mm) with 12 adjustable cut heights		
BLADE(S)	(2) Heavy-duty blades		(3) Heavy-duty blades		
WARRANTY DETAILS					
ENTIRE PRODUCT	3 Years / 300 Hours Commercial 3 Years / 300 Hours Domestic				
PUMPS & MOTORS	2 Years / 300 Hours Commercial 3 Years / 300 Hours Domestic				
DECK	Lifetime on the leading edge				
FRAME	3 Years / 300 Hours Domestic and Commercial				
CONTROL PANEL	3 Years / 300 Hours				3 Years

RZPRO		RZHD		RZHD		RZHD		RTPRO		RTPRO	
											
RZPRO061		RZHD48		RZHD54		RZHD61		RTPRO054		RTPRO061	
Kawasaki FR730V		Kawasaki FR691V		Kawasaki FR691V		Kawasaki FR730V		Kawasaki FT730V		Kawasaki FT730V	
24.0 hp (17.9 kW)		23.0 hp (17.2 kW)		23.0 hp (17.2 kW)		24.0 hp (17.9 kW)		23.5 hp (17.9 kW)		23.5 hp (17.9 kW)	
Air cooled 90-degree V-Twin											
12-volt Electric											
Electronic Keyless enter personal code to start											
Unleaded fuel											
18.9 Litres		35.9 Litres									
Dual hydrostatic TUFF TORQ 450 series transaxles		Parker HTE 10cc wheel motors									
Up To 13.6 kph		Up To 14.4 kph									
Foot-operated parking brake											
13 x 6.5 - 6, smooth tread											
22" turf tread		22" turf radial				24" turf radials					
GBR-7 Elastomer		RZ HD seat				GBR-7 Elastomer Dampeners with 360 Floating System					
Yes		No				Yes					
46" 82" 62.5"		75" (rops up), 54" (rops down) 82" 49.5"		75" (rops up), 54" (rops down) 82" 55.5"		75" (rops up), 54" (rops down) 82" 62.5"		75" (rops up), 54" (rops down) 86" 55.5"		75" (rops up), 54" (rops down) 86" 62.5" w/ discharge chute up	
394.1 kg		418.2 kg		427.2 kg		436.8 kg		481.4 kg		495.5 kg	
Foot-operated with shock assist								1.5" to 5.5" (38.1 mm to 139.7 mm) with 15 adjustable cut heights			
61" (1550 mm) cut side discharge		48" (1220 mm) cut side discharge		54" (1372 mm) cut side discharge		61" (1550 mm) cut side discharge		54" (1372 mm) cut side discharge		61" (1550 mm) cut side discharge	
1" to 4.25" (25.4 mm to 107.95 mm) with 12 adjustable cut heights		1" to 4.25" (25.4 mm to 107.95 mm) with 15 adjustable cut heights								1.5" to 5.5" (38.1 mm to 139.7 mm) with 15 adjustable	
(3) Heavy-duty blades											
WARRANTY DETAILS											
3 Years / 300 Hours Commercial 3 Years / 300 Hours Domestic		3 Years / 400 Hours Commercial and Domestic				3 Years / 500 Hours Commercial and Domestic					
2 Years / 300 Hours Commercial 3 Years / 300 Hours Domestic		3 Years / 750 Hours Commercial and Domestic				3 Years / 750 Hours Commercial and Domestic					
Lifetime on the leading edge											
3 Years / 300 Hours Commercial and Domestic		3 Years / 400 Hours Commercial and Domestic				3 Years / 500 Hours Commercial and Domestic					
		3 Years				3 Years / 500 Hours Commercial and Domestic					

SERIES	RTHD		RTHD-E	SRTXD	
<i>IMAGES FOR ILLUSTRATIVE PURPOSES ONLY.</i>					
MODEL	RTHD54	RTHD61	RTHD61-E	SRTXD61	SRTXD72
ENGINE	Kawasaki FX1000V	Kawasaki FX1000V	Kawasaki FX850V-EFI	Kawasaki FX1000V	Kawasaki FX1000V
HORSEPOWER	35 hp (26.1 kW)	35 hp (26.1 kW)	29.5 hp (22.0 kW)	35.0 hp (26.1 kW)	35.0 hp (26.1 kW)
TYPE	Air cooled 90-degree V-Twin				
STARTER / CHARGING SYSTEM	12-volt Electric				
IGNITION / STARTING	Electronic Keyless enter personal code to start				
FUEL	Unleaded fuel				
FUEL CAPACITY	35.9 Litres				
DRIVE SYSTEM	Parker HTJ 12cc wheel motors			Parker HTG 16cc wheel motors	
GROUND SPEED - FORWARD	Up To 17.7 kph		Up To 20.9 kph		
BRAKES	Foot-operated parking brake				
CASTER TYRES	13 x 6.5 - 6, Radial tread				13 x 6.5 - 6, Radial
TYRES - DRIVE	24" Turf radial				
SEAT	TCB-3 TecnPak Elastomer. Dampeners with 360 Floating System			TCB-3 TecnPak Elastomer. Dampeners with 360 Floating System Suspension Seat	
CUP HOLDER	Yes				
HEIGHT LENGTH WIDTH	75" (rops up), 54" (rops down) 86" 55.5" w/ discharge chute up	75" (rops up), 54" (rops down) 86" 62.5" w/ discharge chute up		75" (rops up), 54" (rops down) 86" 62.5" w/ discharge chute up	75" (rops up), 54" (rops down) 86" 73.5" w/ discharge chute up
WEIGHT	509 kg	520.5 kg	523.8 kg	570.5 kg	585.5 kg
DECK LIFT	Foot-operated with shock assist				
CUTTING WIDTHS	54" (1372 mm) cut side discharge	61" (1550 mm) cut side discharge			72" (1829 mm) cut side discharge
CUTTING HEIGHTS	Change on the go precision deck height dial - 1.5" to 5.5" (38.1 mm to 139.7 mm) with 15 adjustable cut heights				
BLADE(S)	(3) Heavy-duty blades				
WARRANTY DETAILS					
ENTIRE PRODUCT	2 Years / Unlimited Commercial 3 Years / 500 Hours Domestic			2 Years / Unlimited Commercial 3 Years / 500 Hours Domestic	
PUMPS & MOTORS	3 Years / 1500 Hours Commercial and Domestic			3 Years / 1500 Hours Commercial and Domestic	
DECK	Lifetime on the leading edge				
FRAME	2 Years Commercial 3 Years / 500 Hours Domestic				
CONTROL PANEL	3 Years / 300 Hours				

SRTXD

SRTXD

KG

KG



SRTXD61-EF		SRTXD72-EF		KGPR054		KGXD54	
Kawasaki FX1000V EFI		Kawasaki FX1000V EFI		Kawasaki FT730V		Kawasaki FX1000V EFI	
38.5 hp (28.7 kW)		38.5 hp (28.7 kW)		24 hp (18 kW)		38.5 hp (28.7 kW)	
Air cooled 90-degree V-Twin							
12-volt Electric							
Electronic Keyless enter personal code to start							
Unleaded fuel							
35.96 Litres				45.4 Litres			
Parker HTG 16cc wheel motors				Parker HTE 10cc wheel motors		Parker HTJ 12cc wheel motors	
Up To 20.9 kph				Up To 14.5 kph		Up To 17.7 kph	
Foot-operated parking brake				Hand-operated parking brake			
13 x 6.5 - 6, Radial				13" Radial			
24" Turf radial							
TCB-3 TecPak Elastomer. Dampeners with 360 Floating System Suspension Seat				Not available			
Yes							
75" (rops up), 54" (rops down) 86" 73.5" w/ discharge chute up				49" 72.5" 55.5" w/ discharge chute up			
577.6 kg		592.6 kg		459 kg		488 kg	
Foot-operated with shock assist							
61" (1550 mm) cut side discharge		72" (1829 mm) cut side discharge		54" (1372 mm) cut side discharge			
Change on the go precision deck height dial - 1.5" to 5.5" (38.1 mm to 139.7 mm) with 15 adjustable cut heights				Change on the go deck height pin system with shock assisted deck foot lift. 1" to 5" (25.4 mm to 127 mm) with 15 adjustable cut heights in between plus travel lock			
(3) Heavy-duty blades							

WARRANTY DETAILS

2 Years / Unlimited Commercial 3 Years / 500 Hours Domestic		2 Years / Unlimited Commercial Commercial 3 Years / 500 Hours Domestic					
3 Years / 1500 Hours Commercial and Domestic		3 Years / 750 Hour Commercial and Domestic		3 Years / 1500 Hours Commercial and Domestic			
Lifetime on the leading edge							
2 Years Commercial 3 Years / 500 Hours Domestic							
3 Years / 300 Hours				3 Years			

ACCESSORIES

GRASS COLLECTION SYSTEMS

Grass collection systems available for all 2019, 2020 and 2021 models. Please speak to your local Bushranger dealer for more information.

MULCH BAFFLE KITS

Mulch baffle kits available for all 2019, 2020 and 2021 models. Please speak to your local Bushranger dealer for more information.

MISCELLANEOUS ACCESSORIES

PART NUMBER	DESCRIPTION	MODEL FIT
BRASP439-0303-03	Receiver Hitch Bracket	RZ Models Only
BRASP439-0097-00	Deck Height Foot Pedal Extension	All Models
BRASP486-0042-00	10" LED Light Kit	All Models Standard on SRTXD
BRASP493-0008-00	Stress Pad Kit	All Models Standard on SRTXD
BRASP415-0054-00	Chrome Exhaust Kit	All Models
BRASP493-0011-00	Tecs Pak Kit - Seat Suspension Upgrade Kit	All Models Standard on SRTXD
BRASP493-0012-11	Rear Stabiliser Kit	RT & SRT Models Standard on SRTXD
BRASP493-0106-00	Counter Weight Front Hitch Kit <i>Includes 4 x 7.3 kg counterweight plates. For use with Sprayer Tray BRASP493-0027-00 (Sold Separately)</i>	RT & SRT Models
BRASP471-0034-00	RZ Armrest Kit	RZ Models Only
BRASP493-0039-00	Operator Assist Handle	All Models
BRASP493-0028-00	Canopy Assembly	ROPS Fitted Models
BRASP493-0043-KT	Spartan Mower Jack Assembly <i>For use with Front Tube Receiver Kit BRASP493-0041-KT or Side Mount Receiver Hitch Kit BRASP493-0040-KT</i>	All Models
BRASP493-0044-KT	Side Mount Receiver / Jack Assembly Kit <i>Includes Side Mount Hitch Kit BRASP493-0040-KT and Spartan Mower Jack Assembly BRASP493-0043-KT</i>	All Models
BRASP493-0041-KT	Front Tube Receiver Kit	RT & SRT Models
BRASP426-0030-00	Additional Counter Weights <i>Additional counter weights for use with Counter Weight Front Hitch Kit BRASP493-0106-00</i>	RT & SRT Models
BRASP493-0040-KT	Side Mount Receiver Hitch Kit	All Models
BRASP493-0085-00	Quick Shield RZ	RZ Models Only
BRASP493-0084-00	Quick Shield RT / SRT	RT & SRT Models
BRASP493-0070-00	RZ "Seat Shock" Ride Comfort System	RZ Models Only
BRASP493-0079-00	Front Suspension Shock Set	RZ, RZPRO, RZHD Models Only
BRASP493-0109-00	RT / SRT Spoiler Kit	RT & SRT Models
BRASP493-0078-00	RT / SRT Basket Spoiler Kit	2020 RT & SRT Models
BRASP493-0074-KT	Front Nylon Bumper	All Models
BRASP493-0075-KT	Rear Receiver Nylon Bumper	RT & SRT Models
BRASP493-0030-00	Spartan Mower Cover	All Models - 48", 54", 61"
BRASP493-0031-00	Spartan Mower Cover	SRT 72" Only
BRASP493-0083-00	Front Suspension Fork With Fender (Set)	SRT Models Only
BRASP493-0005-00	Electric Actuating Deck Lift Upgrade Kit	RT & SRT Models
BRASP493-0001-00	Soft Knob Adjustable Drive Arms	All Models Standard on RTHD & SRTXD
BRASP493-0037-00	Rear Anti Scalp Assembly	All Models
BRASP493-0115-KT	GT Trac Cup Holder	All Models

CONNECT WITH US!

Stay up to date on the latest Bushranger Spartan news, promotions and competitions. Don't be shy to send in your Bushranger Spartan images, we love to see the units in their natural element and where they take their owners. Tag us and be apart of our ever growing community!



Bushranger.AUS



bushranger.powerequipment

[**#bushrangerpowerequipment**](https://www.instagram.com/bushrangerpowerequipment)



BUSHRANGER®

POWER EQUIPMENT



bushrangerpe.com.au |  [Bushranger.AUS](https://www.facebook.com/Bushranger.AUS) |  [bushranger.powerequipment](https://www.instagram.com/bushranger.powerequipment)

Products depicted in this document are subject to specification, performance characteristic and availability changes without prior notice. Images used for illustration purposes only. All trademarks herein are fully acknowledged to belong to their corresponding owners. No reproduction of this document, or part thereof, by electronic or photographic means permitted without prior consent of Roy Gripske & Sons Pty. Ltd. Last updated November 2024.

Copyright © 2024 Roy Gripske & Sons Pty. Ltd. All rights reserved. 1208496418510162

